



Certificate of Analysis

REPORT NO 16-307-4110 V2
 REPORT DATE Dec 5, 2016 (updated format)
 Description PRULEVA Botanical Based Topical Cream
 Batch No Lot ECZ11-16
 Lab No 2592500

HEAVY METALS TEST	TEST RESULTS	TEST METHOD	DETECTION LIMIT
Arsenic	Not Detected ND	EPA 7471	0.100 mcg /g
Mercury	Not Detected ND	USP <233>	0.010 mcg /g
Palladium	Not Detected ND	USP <233>	0.456 mcg /g

MICROBIOLOGICAL TESTS	TEST RESULTS	TEST METHOD	DETECTION LIMIT	ISO 17516	CTFA (PCPC)	USP / EP / JP <1111>	US FDA BAM					
				Standard (Permissible Limits)	Standard (Permissible Limits)	Standard (Permissible Limits)	Standard (Permissible Limits)					
				• Baby < 3 Years • Eye Area • Mucous Membrane	• Baby • Eye Area • Mucous Membrane	• Pharmaceutical Topical Cream Standard	• Cosmetic Topical Cream Standard					
Total Plate Count	Not Detected	ND	AOAC 990.12	10 CFU/g	< 100 CFU/g	PASS	< 100 CFU/g	PASS	< 500 CFU/g	PASS		
E.coli/coliform	Not Detected	ND	AOAC 991.14	10 CFU/g	Absent in 1 g	PASS	Absent in 1 g	PASS	Absent in 1 g	PASS		
Yeast and Mold	Not Detected	ND	FDA Chap.18	10 CFU/g	Absent in 1 g	PASS	Absent in 1 g	PASS	< 10 cfu/g	PASS	Absent in 1 g	PASS
Staphylococcus	Not Detected	ND	AOAC 2003.07	10 CFU/g	Absent in 1 g	PASS	Absent in 1 g	PASS	Absent in 1 g	PASS	Absent in 1 g	PASS
Salmonella	Not Detected	ND	AOAC 030301	1 org/25g	Absent in 1 g	PASS	Absent in 1 g	PASS	Absent in 1 g	PASS	Absent in 1 g	PASS
Pseudomona	Not Detected	ND	FDA Chap.23	10 org/g	Absent in 1 g	PASS	Absent in 1 g	PASS	Absent in 1 g	PASS	Absent in 1 g	PASS

LAB TESTED BY

Sue 6

Sue Ann Sietz
 Laboratory Manager
 Quality Control
 Dec 5 2016

